




NSK bearing Trading Co., Ltd



10 mm x 26 mm x 8 mm 10 mm x 26 mm x 8 mm SKF S7000 CD/HCP4A angular contact ball bearings

Bearing No. S7000 CD/HCP4A

S7000 CD/HCP4A Bearing 2D drawings and 3D CAD models

Size	26x10x8 mm
Bore Diameter	26 mm
Outer Diameter	10 mm
Width	8 mm
d	10 mm
D	26 mm
B	8 mm
d ₁	15.1 mm
d ₂	15.1 mm
D ₂	23.5 mm
r _{1,2} - min.	0.3 mm
r _{3,4} - min.	0.2 mm
a	6.5 mm
d _a - min.	12 mm
d _a - max.	14.7 mm
d _b - min.	12 mm
d _b - max.	14.7 mm
D _a - max.	24 mm
D _b - max.	24.6 mm
r _a - max.	0.3 mm
r _b - max.	0.2 mm
Basic dynamic load rating - C	4.1 kN
Basic static load rating - C ₀	1.7 kN



NSK bearing Trading Co., Ltd

Fatigue load limit - P_u	0.071 kN
Limiting speed for grease lubrication	90000 r/min
Ball - D_w	4.762 mm
Ball - z	9
Calculation factor - f_0	8.3
Preload class A - G_A	15 N
Preload class B - G_B	30 N
Preload class C - G_C	60 N
Preload class D - G_D	120 N
Calculation factor - f	1.03
Calculation factor - f	1
Calculation factor - f_{2A}	1
Calculation factor - f_{2B}	1.02
Calculation factor - f_{2C}	1.05
Calculation factor - f_{2D}	1.09
Calculation factor - f_{HC}	1.02
Preload class A	14 N/micron
Preload class B	19 N/micron
Preload class C	26 N/micron
Preload class D	36 N/micron
d_1	15.1 mm
d_2	15.1 mm
D_2	23.5 mm
$r_{1,2}$ min.	0.3 mm
$r_{3,4}$ min.	0.2 mm
d_a min.	12 mm
d_a max.	14.7 mm
d_b min.	12 mm
d_b max.	14.7 mm



NSK bearing Trading Co., Ltd

D_a max.	24 mm
D_b max.	24.6 mm
r_a max.	0.3 mm
r_b max.	0.2 mm
Basic dynamic load rating C	4.1 kN
Basic static load rating C_0	1.66 kN
Fatigue load limit P_u	0.071 kN
Attainable speed for grease lubrication	90000 r/min
Ball diameter D_w	4.762 mm
Number of balls z	9
Preload class A G_A	15 N
Static axial stiffness, preload class A	14 N/ μ m
Preload class B G_B	30 N
Static axial stiffness, preload class B	19 N/ μ m
Preload class C G_C	60 N
Static axial stiffness, preload class C	26 N/ μ m
Preload class D G_D	120 N
Static axial stiffness, preload class D	36 N/ μ m
Calculation factor f	1.03
Calculation factor f_1	1
Calculation factor f_{2A}	1
Calculation factor f_{2B}	1.02
Calculation factor f_{2C}	1.05
Calculation factor f_{2D}	1.09
Calculation factor f_{HC}	1.02
Calculation factor f_0	8.3
Mass bearing	0.017 kg