




NSK bearing Trading Co., Ltd

INA RSAO50 bearing units



Bearing No. RSAO50

Bore Diameter	50 mm
d	50 mm
S1	42,1 mm
Thread (Q)	Rp1/8
d3	75,8 mm
A	75 mm
A1	39 mm
B1	66,8 mm
H	75 mm
H1	27 mm
H2	143 mm
J	212 mm
L	275 mm
N	20 mm
N1	35 mm
Weight	6,1 Kg
Basic dynamic load rating (C)	62 kN
Category	Pillow Block Bearings
Inventory	0.0
Manufacturer Name	SCHAEFFLER GROUP
Minimum Buy Quantity	N/A
Weight / Kilogram	6.107
Product Group	M06110
Number of Mounting Holes	2
Mounting Method	Eccentric Collar
Housing Style	2 Bolt Pillow Block

RSAO50 Bearing 2D drawings and 3D CAD models



NSK bearing Trading Co., Ltd

Rolling Element	Ball Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Relubricatable	Yes
Insert Part Number	GNE50KRRB
Seals	Double Land Riding Rubber Contact
Housing Configuration	1 Piece Solid
Inch - Metric	Metric
Other Features	Single Row Heavy Series Extended Inner Race With Set Screw
Long Description	2 Bolt Pillow Block; 50MM Bore; 75MM Base to Center Height; Eccentric Collar Mount; Ball Bearing; 197MM Minimum Bolt Spacing; 227MM Bolt Spacing Maximum; Relubricatable; Cast Iron; Double Land Riding
Category	Pillow Block
UNSPSC	31171511
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Pillow Block
Manufacturer URL	http://www.ina.com
Manufacturer Item Number	RSAO50
Weight / LBS	13.45
Base to Center Height	2.953 Inch 75 Millimeter
Nominal Bolt Center to Center	8.3 Inch 210 Millimeter
Bolt Spacing Maximum	8.937 Inch 227Millimeter
Bolt Spacing Minimum	7.756 Inch 197Millimeter
Bore	1.969 Inch 50 Millimeter
Actual Bolt Center to	0 Inch 0Millimeter



NSK bearing Trading Co., Ltd

Center	
Length Thru Bore	2.626 Inch 66.7 Millimeter